


## Threads Section Outline

- Overview
- Multithreading Models
- Threading Issues
- Pthreads
- Windows XP Threads
- Linux Threads
- Java Threads

## Single and Multithreaded Processes



## Benefits

- Responsiveness
- Resource Sharing

- Economy
- Utilization of MP Architectures

## User Threads

- Thread management done by user-level threads library
- Three primary thread libraries:
  - POSIX Pthreads
  - Win32 threads
  - Java threads

## Kernel Threads


- Supported by the Kernel
- Examples
  - Windows XP/2000
  - Solaris
  - Linux
  - Tru64 UNIX
  - Mac OS X

## Multithreading Models

- Many-to-One
- One-to-One
- Many-to-Many


## Many-to-One

- Many user-level threads mapped to single kernel thread
- Examples:
  - Solaris Green Threads
  - GNU Portable Threads



## One-to-One


- Each user-level thread maps to kernel thread
- Examples
  - Windows NT/XP/2000
  - Linux
  - Solaris 9 and later



## Many-to-Many Model


- Allows many user level threads to be mapped to many kernel threads
- Allows the operating system to create a sufficient number of kernel threads

- Solaris prior to version 9
- Windows NT/2000 with the *ThreadFiber* package



## Two-level Model

- Similar to M:M, except that it allows a user thread to be **bound** to kernel thread
- Examples
  - IRIX
  - HP-UX
  - Tru64 UNIX
  - Solaris 8 and earlier



## Threading Issues

- Semantics of **fork()** and **exec()** system calls
  - a. Does **fork()** duplicate only the calling thread or all threads?
- Thread cancellation
  - Terminating a thread before it has finished
  - Two general approaches:
    - **Asynchronous cancellation** terminates the target thread immediately
    - **Deferred cancellation** allows the target thread to periodically check if it should be cancelled
- Signal handling
  - Signals are used in UNIX systems to notify a process that a particular event has occurred
  - A **signal handler** is used to process signals
    - i. Signal is generated by particular event
    - ii. Signal is delivered to a process
    - iii. Signal is handled
  - Options:
    - Deliver the signal to the thread to which the signal applies
    - Deliver the signal to every thread in the process
    - Deliver the signal to certain threads in the process
    - Assign a specific thread to receive all signals for the process
- Thread pools
  - Create a number of threads in a pool where they await work
  - Advantages:
    - Usually slightly faster to service a request with an existing thread than create a new thread

- Allows the number of threads in the application(s) to be bound to the size of the pool
- Thread specific data
  - Allows each thread to have its own copy of data
  - Useful when you do not have control over the thread creation process (i.e., when using a thread pool)
- Scheduler activations
  - Both M:M and Two-level models require communication to maintain the appropriate number of kernel threads allocated to the application
  - Scheduler activations provide **upcalls** - a communication mechanism from the kernel to the thread library
  - This communication allows an application to maintain the correct number kernel threads

## Pthreads

- A POSIX standard (IEEE 1003.1c) API for thread creation and synchronization
- API specifies behavior of the thread library, implementation is up to development of the library
- Common in UNIX operating systems (Solaris, Linux, Mac OS X)

## Windows XP Threads

- Implements the one-to-one mapping
- Each thread contains
  - A thread id
  - Register set
  - Separate user and kernel stacks
  - Private data storage area
- The register set, stacks, and private storage area are known as the **context** of the threads
- The primary data structures of a thread include:
  - ETHREAD (executive thread block)
  - KTHREAD (kernel thread block)
  - TEB (thread environment block)

## Linux Threads

- Linux refers to them as *tasks* rather than *threads*
- Thread creation is done through **clone()** system call
- **clone()** allows a child task to share the address space of the parent task (process)

## Java Threads

- Java threads are managed by the JVM
- Java threads may be created by:
  - Extending Thread class
  - Implementing the Runnable interface
- States:

