Long Quiz 2	Chem 132		March 1, 2013
Dr. Fantini			
Name:		SB#:	

1. With a suitable catalyst, carbon monoxide (CO) and hydrogen (H₂) are transformed into methanol (CH₃OH) according to the following balanced equation for which $K_c = 14.5$ at 483 K.

 $\operatorname{CO}(g) + 2 \operatorname{H}_2(g) \rightleftharpoons \operatorname{CH}_3\operatorname{OH}(g)$

For a reaction with $[CO]_{initial} = 0.75$ M and $[H_2]_{initial} = 1.25$ M, answer these questions about the attainment of equilibrium:

a. Write the equilibrium constant expression.



b. Write an "ICE-box" setup for the problem. Use the template given below and confine your answers to the boxes. Use *x* as your variable in the problem; one box has been filled in to get you started.



c. Write the equation to solve to find the value for the variable x. To conserve time, do NOT solve it.

d. When the problem is solved, we find x = 0.46. What are the equilibrium concentrations of the three compounds in the reaction?

[CO] _{eqm} =	$[H_2]_{eqm} =$	[CH ₃ OH] _{eqm} =
-----------------------	-----------------	---------------------------------------

2. For the following reaction, at equilibrium, circle the best response in each row of the table below to say how the reaction will respond to reestablish equilibrium. This reaction is endothermic.

 $2 \operatorname{POCl}_3(g) \rightleftharpoons 2 \operatorname{PCl}_3(g) + \operatorname{O}_2(g)$

Action	Result (circle one per row)			
add oxygen gas	shift toward reactants	no change	shift toward products	
remove phosphorus trichloride	shift toward reactants	no change	shift toward products	
raise temperature to 1000 K from 500 K	shift toward reactants	no change	shift toward products	
add a catalyst for the reaction	shift toward reactants	no change	shift toward products	
decrease the volume of the container by half	shift toward reactants	no change	shift toward products	

3. Diamond and graphite are two crystalline forms of carbon. At 1.0 atm and 25 °C, diamond changes to graphite so slowly that the enthalpy change of the process must be obtained indirectly. Determine ΔH°_{rxn} for the reaction.

$$C_{(diamond)} \rightleftharpoons C_{(graphite)}$$

You will need SOME of the following reactions:

$C_{(diamond)} + O_{2(g)} \rightleftharpoons CO_{2(g)}$	$\Delta H^{\circ} = -395.4 \text{ kJ/mol}$
$2 \operatorname{CO}_{2(g)} \rightleftharpoons 2 \operatorname{CO}_{(g)} + \operatorname{O}_{2(g)}$	$\Delta H^\circ = +566.0 \text{ kJ/mol}$
$C_{(graphite)} + O_{2(g)} \rightleftharpoons CO_{2(g)}$	$\Delta H^\circ = -393.5 \text{ kJ/mol}$
$2 \operatorname{CO}_{(g)} \rightleftharpoons \operatorname{C}_{(\text{graphite})} + \operatorname{CO}_{2(g)}$	$\Delta H^{\circ} = -172.5 \text{ kJ/mol}$

4. For each of the following reactions, predict whether the entropy change for the system is positive or negative. Give a *brief* explanation for each answer.

(a) $N_2(g) + 3 \operatorname{Cl}_2(g) \rightarrow 2 \operatorname{NCl}_3(l)$

(b) $PCl_5(g) \rightarrow PCl_3(g) + Cl_2(g)$

(c) $CaO(s) + H_2O(l) \rightarrow Ca(OH)_2(s)$

5. Write the products of this acid-base reaction:

$$\operatorname{HCN}(aq) + \operatorname{NH}_{3}(aq) \rightleftharpoons$$

6. Mark this equation to show the conjugate acid-conjugate base pairs.

 $HPO_4^{2-} + HSO_4^- \rightleftharpoons H_2PO_4^- + SO_4^{2-}$